



IFW

**CERTIFICATE OF
MAILING
AMENDMENT**

| | |
|---------------------------|--------------|
| Application Number | 10/621,976 |
| Filing Date | 7/17/2003 |
| First Inventor | Ibarra, Jim |
| Examiner Name | Yan, Ren Luo |
| Art Unit | 2854 |
| Docket Number | Jl-356 |

DATE OF DEPOSIT: 11/4/2004

TITLE OF CASE:

Thermal Transfer Assembly for Ceramic Imaging

The following documents are enclosed:

Certificate of Mailing (1 page)

Response to Notice of Incomplete Reply (37 pages)

COPY OF Notice of Incomplete Reply (2 pages)

Return Postcard

The above named documents are being deposited with the United States Postal Service, using First Class Mail, on the date indicated above, and is addressed to:

TO:
Mail Stop: Amendment
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450.

FROM:
Howard J. Greenwald P.C.
349 W. Commercial Street, Suite 2490
East Rochester, NY 14445
Telephone (585) 387-0285
Fax (585) 387-0288

The Director is authorized to charge any additional fee(s) as needed during the pendency of this application to deposit account 50-2753.

Signature of Mailer: _____

____ Howard J. Greenwald, Reg. No. 24,247
____ John M. Hammond, Reg. No. 52,986
☒ Peter J. Mikesell, Reg. No. 54,311
____ Robert D. Gunderman, Reg. No. 55,231



UNITED STATES PATENT AND TRADEMARK OFFICE

10621976

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

Notice of Non-Compliant Amendment (37 CFR 1.121)

The amendment document filed on 10-22-04 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121. In order for the amendment document to be compliant, correction of the following item(s) is required. Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted. 37 CFR 1.121(h).

THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
 - ☐ B. New paragraph(s) should not be underlined.
 - ☐ C. Other _____
- ☐ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
 - ☐ B. Other _____
- ☐ 3. Amendments to the drawings: _____
- ☒ 4. Amendments to the claims:
- ☒ A. A complete listing of all of the claims is not present.
 - ☒ B. The listing of claims does not include the text of all pending claims (including withdrawn claims)
 - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following 7 status identifiers: (Original), (Currently amended), (Canceled), (Withdrawn), (Previously presented), (New) and (Not entered).
 - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
 - ☒ E. Other: Claims 1-161, 231-236 text must be provided for withdrawn claims.

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at <http://www.uspto.gov/web/offices/pac/dapp/opla/prenotice/officeflyer.pdf>.

If the non-compliant amendment is a **PRELIMINARY AMENDMENT**, applicant is given ONE MONTH from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this ONE MONTH time limit is not extendable.


If the non-compliant amendment is a reply to a **NON-FINAL OFFICE ACTION** (including a submission for an RCE), and since the amendment appears to be a *bona fide* attempt to be a reply (37 CFR 1.135(c)), applicant is given a TIME PERIOD of ONE MONTH from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).**

If the amendment is a reply to a **FINAL REJECTION**, this form may be an attachment to an Advisory Action. The period for response to a final rejection continues to run from the date set in the final rejection, and is not affected by the non-compliant status of the amendment.

D. Smalls (CS)
Legal Instruments Examiner (LIE)

571-272-1620
Telephone No.

Application No.: 10/621,976
Date of Response: 11/4/2004
Reply to Action of: 09/22/2004



| | |
|-----------------|--|
| Application No. | 09/22/2004 |
| Applicant | Geddes, Pamela A. |
| Filed | 07/17/2003 |
| Title | Thermal Transfer Assembly for Ceramic Imaging |
| TC/A.U. | 2854 |
| Examiner | Yan, Ren Luo |
| Docket No. | PAG-356 |

Honorable Commissioner for Patents

P.O. Box 1450

5 Alexandria, VA 22313-1450

ELECTION AND RESPONSE

Sir:

10 In reply to the Office Action of September 22, 2004, please find the
response as follows:

Listing of Claims are reflected in the listing of claims which begins on
page 2 of this paper.

Remarks/Arguments begin on page 11 of this paper.